

# BOOKS AND CHAPTERS IN A BOOK AUTHORED BY FACULTIES

(LAST FIVE YEARS)

Sr. No.	NAME OF FACULTIES	NAME OF BOOK/CHAPTER	NATIONAL/ INTERNATIONAL	YEAR	ISBN/ISSN No.	PUBLISHER
1.	S. C. Gedam	<b>Name of Book:</b> PHENOMENON IN ENVIRONMENTAL AND NANO SCIENCE <b>Name of Chapter:</b> Thermoluminescence Behavior and Evaluation of Trapping Parameters in KMgSO <sub>4</sub> F: X (X = Cu or Dy or Eu) Nanophosphor	National	2021	978-93-89996-32-6	JAYA PUBLISHING HOUSE H-1/60, Sector – 16, Rohini, Delhi-110089 (INDIA)
2.	S. C. Gedam	<b>Name of Book:</b> PHENOMENON IN ENVIRONMENTAL AND NANO SCIENCE <b>Name of Chapter:</b> Luminescence of Ce <sup>3+</sup> in KMgCl <sub>3</sub> Nanomaterial by Novel Synthesis Routes	National	2021	978-93-89996-32-6	JAYA PUBLISHING HOUSE H-1/60, Sector – 16, Rohini, Delhi-110089 (INDIA)
3.	A. R. Bijwe	Text book of chemistry for B. Sc.	National	2021	ISBN: 978-93-87278-86-8	Dnyanpath Publication Amravati (India)
4.	L. L. Sawarkar	<b>Name of Book:</b> Current updates in Life Sciences <b>Name of Chapter:</b> Algae: Source of Biofuel	National	2020	ISBN: 978-81-923621-82	Pandit Jawaharlal Nehru Study Center, Shri Shivaji College of Arts, Commerce and Science, Akola (MS) India A National Publication
5.	L. L. Sawarkar	<b>Name of Book:</b> NCMR21- Peer-Reviewed Book Chapter <b>Name of Chapter:</b> Biochemical Composition Of Some Cyanobacteria	National	2021	ISBN : 978-81-95551-4-9	Adhar Publication, Amravati
6.	U. B. Mahatme & A. H. Rangari	Advanced Aspects of Engineering Research	National	2021	ISBN-13 (05) 978-93-90888-02-3 (Print) 978-93-90888-10-8 (eBook)	B. P. International
7.	U. B. Mahatme	Recent Trends in Chemical and Material Sciences	National	2021	ISBN-13 (15) 978-93-91473-41-9 (Print) 978-93-91473-49-5 (eBook)	B. P. International
8.	U. B. Mahatme	Basics of Nanoscience, Nanomaterials and Nanotechnology	National	2021	ISBN 978-93-91595-12-8 (Print) 978-93-91473-03-7 (eBook)	B. P. International
9.	A.P. Ganorkar	Chemistry B. Sc. SEM IV	National	2022	978-93-91331-78	Dnyanpath Publication

1. Dr. S. C. Gedam

---

Phenomenon in Environmental and Nano Science

Kavita Sharma  
Ravi Sharma

JAYA  
Publishing House

JAYA  
Publishing House

# Phenomenon in Environmental and Nano Science

Kavita Sharma  
Ravi Sharma

# THERMOLUMINESCENCE BEHAVIOR AND EVALUATION OF TRAPPING PARAMETERS IN $\text{KMgSO}_4\text{F}: \text{X}$ ( $\text{X} = \text{Cu}$ OR $\text{Dy}$ or $\text{Eu}$ ) NANOPHOSPHOR

Kalpana Pande<sup>1</sup>, S.R. Choube<sup>1</sup> and S.C. Gedam<sup>2\*</sup>

<sup>1</sup>Department of Mathematics, VMV Commerce, JMT Arts & JJP Science College, Nagpur-440008 (MH)

<sup>2</sup>KZS Science College, Kalmeshwar, Nagpur-441501 (MH)

<sup>3</sup>Department of Physics, VMV Commerce, JMT Arts & JJP Science College, Nagpur-440008 (MH)

\*Email: gedam\_sc@rediffmail.com

---

## Abstract

In the present study, new halonano-phosphor  $\text{KMgSO}_4\text{F}$  is synthesized by wet chemical method. Study aims in calculation of trapping parameter such as geometrical factor ( $\mu$ ), Order of Kinetics ( $b$ ), Trap depth ( $E$ ) and frequency factor ( $s$ ) associated with the isolated TL glow curve in order to get the information mechanism of trapping and recombination of charge carrier with the traps. Thermoluminescence glow curves of  $\text{KMgSO}_4\text{F}: \text{Cu}$ ,  $\text{KMgSO}_4\text{F}: \text{Dy}$  and  $\text{KMgSO}_4\text{F}: \text{Eu}$  halosulphate phosphor have been investigated in detail at various concentrations, between the temperature region 50 to 300<sup>0</sup>C. All TL glow curves showed single peak at 197.76<sup>0</sup>C, 172.91<sup>0</sup>C and 180.26<sup>0</sup>C respectively. In this paper we present a brief review of the work on TL behavior of  $\text{KMgSO}_4\text{F}$ .

**Keywords:** Thermoluminescence, Phosphors, Wet chemical, Chen's method, Activation

# Phenomenon in Environmental and Nano Science

Kavita Sharma • Ravi Sharma

The book comprises of trending technological and experimental sciences in the fields of Environmental Science and Nanotechnology. The book is primitively focused on the concepts of recent trends in environment and nano science helpful for the students, researchers and the faculties working on the relevant fields of environment science and nanotechnology. A total of 26 chapters have been covered encompassing a wide spectrum of extensive topics ranging from remote sensing to molecular biology to agricultural and medicinal researches in environment and from material science to semiconductor analysis to modern day applications of nanotechnology.

## Key Features

- Importance of Remote Sensing and Medicinal researches to attain Environmental Sustainability.
- Experimental studies on microbial and antimicrobial activities of medicinal plants to enhance health and immunity.
- Novel approaches on synthesis of nanomaterials for increasing accuracy and effectiveness on material science applications.
- Advanced techniques for studying luminescence properties of nanoparticles.
- Extensive analysis of enzymes and projection of their immense industrial applications.



## Publisher & Distributors

H-1/60, Sector - 16, Rohini, Delhi-110089 (INDIA)

Ph: +91-11-43501867, 91-9891277233

Email: info@jphindia.com, jayapublishinghouse@gmail.com

Website: www.jphindia.com



Phenomenon in Environmental and Nano Science


Kavita Sharma  
Ravi Sharma

JAYAY  
Publishing House

JAYAY  
Publishing House

# Phenomenon in Environmental and Nano Science

Kavita Sharma  
Ravi Sharma



# LUMINESCENCE OF $Ce^{3+}$ IN $KMgCl_3$ NANOMATERIAL BY NOVEL SYNTHESIS ROUTES

**S.C. Gedam**

*Department of Physics, K.Z.S. Science College, Kalmeshwar, Nagpur-441501 (MH)*  
*Email: gedam\_sc@rediffmail.com*

---

## **Abstract**

The present  $KMgCl_3$  phosphor has been synthesized through wet chemical synthesis (WCS), solid state diffusion (SSD) and Hispersed centrifuge (HC) routes in the same atmospheric conditions and characterized for luminescence properties. XRD's of the sample prepared by all methods have been placed at the same position, phase and matched well with standard data. The particle size of 20 nm of  $KMgCl_3$  by Hispersed centrifuged method was detected using transmission electron microscope (TEM). The PL emission spectra have been observed for  $Ce^{3+}$  at 353 nm and 375 nm due to  $5d \rightarrow 4f$  transition, The presented phosphors are excited in the range of 300 nm to 400 nm which is mercury free excited range. Synthesis and photoluminescence spectra of trivalent Ce, rare-earths in  $KMgCl_3$  are described for all routes for the first time in the present work. The CIE chromaticity coordinates were also calculated for  $KMgCl_3:Ce^{3+}$  phosphors, which are close to the NTSC standard values.  $KMgCl_3$

# Phenomenon in Environmental and Nano Science

Kavita Sharma • Ravi Sharma

The book comprises of trending technological and experimental sciences in the fields of Environmental Science and Nanotechnology. The book is primitively focused on the concepts of recent trends in environment and nano science helpful for the students, researchers and the faculties working on the relevant fields of environment science and nanotechnology. A total of 26 chapters have been covered encompassing a wide spectrum of extensive topics ranging from remote sensing to molecular biology to agricultural and medicinal researches in environment and from material science to semiconductor analysis to modern day applications of nanotechnology.

## Key Features

- Importance of Remote Sensing and Medicinal researches to attain Environmental Sustainability.
- Experimental studies on microbial and antimicrobial activities of medicinal plants to enhance health and immunity.
- Novel approaches on synthesis of nanomaterials for increasing accuracy and effectiveness on material science applications.
- Advanced techniques for studying luminescence properties of nanoparticles.
- Extensive analysis of enzymes and projection of their immense industrial applications.



## Publisher & Distributors

H-1/60, Sector - 16, Rohini, Delhi-110089 (INDIA)


Ph: +91-11-43501867, 91-9891277233

Email: info@jphindia.com, jayapublishinghouse@gmail.com

Website: www.jphindia.com

ISBN 978-93-89996-32-6





As per Semester - wise New Syllabus of  
Rashtrasant Tukadoji Maharaj Nagpur University, Nagpur

A TEXTBOOK OF

# Chemistry

B.Sc. SEMESTER - III

Paper I - Inorganic Chemistry

Paper II - Organic Chemistry

## AUTHORS

Dr. S. B. Thakare  
Dr. V. M. Nikose  
Dr. G. B. Pethe  
Dr. M. G. Ajmire  
Dr. A. R. Yaul  
Dr. B. S. Navale  
Dr. A. R. Bijwe  
Dr. C. S. Bhaskar

## EDITORS

Dr. M. B. Thakre  
Dr. M. G. Dhonde

**FREE** INSIDE

- Practical Manual
- University Question Paper
- Periodic Table



## UNIT I

# A. VALENCE SHELL ELECTRON PAIR REPULSION (VSEPR) THEORY

VSEPR theory explains the structure and bonding in various molecules using the concept of bond pair and lone pair of electron. The structures of molecules like  $\text{H}_2\text{O}$ ,  $\text{NH}_3$ ,  $\text{H}_3\text{O}^+$ ,  $\text{NH}_4^+$ ,  $\text{ClF}_3$  and  $\text{SF}_4$ .

According to this theory the geometry of a molecule based on bonding and non-bonding electron pairs in central atom which arrange in such a way to form minimum repulsion so that the molecule has maximum stability.

Nyholm and Gillespie have proposed the following rules to explain the bond angle and shape of some covalent molecule.


### Rule 1:

If the central atom of a molecule is surrounded only by bonding electron pairs, the geometry of molecule will be regular.

e. g.  $\text{BeCl}_2$  - Linear                       $\text{BCl}_3$  - Triangular  
 $\text{CH}_4$  - Tetrahedral                       $\text{PCl}_5$  - Trigonal bipyramidal

### Rule 2:

When the central atom in a molecule is surrounded by both by bond pair and lone pair of electrons, the geometry of molecule will be distorted.



### Rule 3:

Bond angle decrease with increase in electronegativity of bonded atoms.

$\text{PI}_3$	$\text{PBr}_3$	$\text{PCl}_3$
$102^\circ$	$101.5^\circ$	$100^\circ$

### Rule 4:

Bond angle increases with increase in electronegativity of central atom.

### Rule 5:

Multiple bond does not affect the geometry of a molecule, bond angle in multiple bonds are generally larger than single bond.

### $\text{H}_2\text{O}$ Molecule:

- The electronic configuration of oxygen is;  ${}_8\text{O} (\text{G. S.}) \rightarrow 1s^2, 2s^2, 2p_x^2, 2p_y^1, 2p_z^1$
- Oxygen undergo  $sp^3$ -hybridization with mixing and recasting of one  $2s$  and three  $2p$  orbitals and form four  $sp^3$  hybrid orbital. Out of four  $sp^3$  hybrid orbital, two containing unpaired electron form covalent bond with two hydrogen atom while two hybrid orbital acts as a lone pair.
- The numbers of valence shell electron pair are four out of which two are bond pair and two are lone pair.



DnyanPath Edition

### SPECIAL FEATURES

- Content of the book is as per the syllabus of RTMNU, Nagpur.
- Experienced and Professional writers.
- Simplicity of expression yet high quality content.
- Independent section for questions and numerical data
- Inclusion of practical manual.
- Variety in the methods / solutions.
- Multicolor Periodic Table.
- Inclusion of questions bank.

### OUR TITLES

- Text Book of Chemistry  
B.Sc. Semester - I
- Text Book of Chemistry  
B.Sc. Semester - II
- Text Book of Chemistry  
B.Sc. Semester - III
- Text Book of Chemistry  
B.Sc. Semester - IV
- Text Book of Chemistry  
B.Sc. Semester - V
- Text Book of Chemistry  
B.Sc. Semester - VI

For Purchase



Scan the Bar code

Available at


**amazon.in**

**DnyanPath**<sup>®</sup>  
Publication  
*Write well - Right now*  
ISO 9001 : 2015

Price : 200/-



Maharashtra - Delhi - Gujrat - Chhattisgarh - Telangana - Bihar



ISBN - 9788192362182

# Current Updates in Life Sciences

## Chief Editors

**Dr. Mrs. P. P. Umale**

Professor & Head, Dept. of Botany,  
Shri Shivaji College of Arts,  
Commerce & Science , Akola (M.S.)

**Dr. D. K. Koche**

Professor, Department of Botany  
Shri Shivaji College of Arts,  
Commerce & Science , Akola (M.S.)

Printed by:

Ganraya Graphis,

Mahsul Colony,

Cell: 98221 16819

Emai: [ganrayaakl@gmail.com](mailto:ganrayaakl@gmail.com)

All rights are reserved. No part of this publication may be reproduced, stored in a retrieval systems or transmitted in any form or by any means- electronic, mechanical, photocopying, recording or otherwise, without prior written permission of the publisher.

Printed from the Camera ready copy provided by the editors.

**ISBN: 978-81-923621-82**

**Published by:**

Pandit Jawaharlal Nehru Study Center,

Shri Shivaji College of Arts, Commerce and Science, Akola (MS) India

A National Publication

Printed in India

## **ALGAE: SOURCE OF BIOFUEL**

**Lalita L. Sawarkar and Shaligram R. Hiwale**

Department of Botany, K. Z. S. Science College Bramhani -Kalmeshwar, 441501

District- Nagpur (MS) India

Corresponding Author: [lsawerkar5@gmail.com](mailto:lsawerkar5@gmail.com)

### **ABSTRACT:**

Energy crises are the biggest problem among the main problem in the world. In considering day to day need of fuel and its uses, it needs to search for renewable other energy sources. In this study, an attempt is made to extract oil from algae and its conversion into biodiesel. We recorded the oil contents (7.13%) in *Oscillatoria ornate*, (2.9%) in *Lyngbya* Sp.,(8.37%) in *Spirogyra* Sp, (2.04%) in mixture of *Pithophora* Sp., *Spirogyra* Sp. and *Zygnema* Sp., (3.8%) in Mixture of *Pithophora* Sp., *Spirogyra* Sp. and *Mougotia* Sp.

**Keywords:** Algae, Biofuel, Biodiesel, algal oil, renewable energy

## NCMR21- Peer-Reviewed Book Chapter

Edited by

Shri Pundlik Maharaj Mahavidyalaya,  
Nandura Rly, Dist. Buldana-443404.

© Aadhar Publications,

All rights reserved. No part of this publication may be reproduced or transmitted, in any form or by any means without permission. Any person who does any unauthorized act in relation to this publication may be liable to criminal prosecution and civil claims for damages.

*First published, 31 March, 2021*

ISBN 978-81-95551-4-9

**Published by**

Prof. Virag Gawande for  
Aadhar Publications,  
Behind Govt. VISH,  
New Hanuman Nagar,  
Amravati 444 604.  
Mob-9595560278

Aadhar Graphics,  
Amravati.



## Aadhar International Publication

For Details Visit To : [www.aadharsocial.com](http://www.aadharsocial.com)

© All rights reserved with the authors & publisher

**Biochemical Composition Of Some Cyanobacteria****Lalita L.Sawarkar<sup>1\*</sup> and Supriya B. Gedam<sup>2</sup>**

1 K.Z.S.Science College Bramhani-Kalmeshwar,(Maharashtra). India 441501

2 Shri. Pundlik Maharaj Mahavidyalaya, Nandura (rly).Dist.Buldana

**ABSTRACT**

Cyanobacteria are most commonly useful organism, storing reserve food in the form of cyanophycean starch, protein, lipids and vitamins. These sources can be used as the biochemical constituents of *Spirulina platensis*, *Scytonemasp.*, *Phormidiumsp.* and *Oscillatoria sp.* isolated from Nagpur and Wardha. The biochemical constituents were analyzed in the term of total carbohydrates, total protein and total lipid contents. The analysis showed that maximum amount of total carbohydrate in *Scytonemasp.*(35 % dry weight) and minimum in *Phormidiumsp.*(2.1% wet basis).The maximum amount of total protein in *Spirulina platensis*(60% Dry weight)and minimum in *Scytonema sp.*(12.50 %wet basis).The maximum amount of total lipid present in *Phormidium sp.*(11.83% dry weight)and minimum in *Oscillatoria sp.*(3%dry weight).

**Key words:** Cyanobacteria,*Phormidium*, *Scytonema*, *Oscillatoria*, *Spirulina platensis*, Biochemical composition

**1.Introduction:**

Cyanobacteria(blue –green algae, BGA) are morphologically diverse group of phototrophic prokaryotes, which occur in almost every habitat on earth and useful to mankind in various ways (Thajuddin and Subramanian, 2005).They constitute a vast potential resource in varied applications such as food,feed,fuel,fertilizer,medicine,industry and in combating pollution(Thajuddin and Subramanian, 2005).

Until past few decades of research, Cyanobacteria were of academic interests and were mostly ignored as nuisance but, now are proved as potential organisms for much biotechnological utilization(Richmond 1990; Thajuddin and Subramanian 2005).The interest in these organisms as generators of pharmacologically active and industrially important compounds has been stimulated by recent results(Singh *et al.*,2002). Algal protein either as a supplement or as an alternative source has received worldwide attention. Cyanobacteria are cultivated for a health food in the form of single cell proteins mainly from species of *Spirulina* which are mass cultivated globally (Lee *et al.*,1995). *Spirulina* is used as food supplement because of its excellent nutrient composition and digestibility.

Various microalgae have been considered as unconventional source of protein and microalgae are also source of essential amino acids. Carbohydrates in microalgae are in the form of starch, glucose or other polysaccharides and have high digestibility (Becker,2004).Some microalgae are rich sources of omega 3 and omega 6 families of fatty acids ( Tononet *et al.*,2002). By referring the utility of cyanobacteria in our work an attempt is down to know biochemical composition some cyanobacteria.

**2. Materials and Methods**

**2.1 Materials:** The raw material employed in the experiments of *Spirulina platensis*,*Phormidiumsp.*, *Scytonemasp.* and *Oscillatoriasp* collected from aquatic bodies of

## 6. Dr. U. B. Mahatme and Dr. Mrs. A. H. Rangari

Home / Books / Advanced Aspects of Engineering Research Vol. 6 / Chapters



### Detailed Study on the Effect of Oxidant, Dopant and MO Additive Loading on Morphology, Conductivity and Dielectric Constant of 3D Conducting Polymer PPy/ $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> Nanocomposites

U. B. Mahatme ; R. S. Gedam ; G. D. Tidke ; R. D. Utane ; A. H. Rangari

Advanced Aspects of Engineering Research Vol. 6, 7 May 2021, Page 140-155

<https://doi.org/10.9734/bpi/aaer/v6/7756D>

Published: 2021-05-07

View Article  Cite  Share 


#### Abstract

Conducting polymer (CP) polypyrrole (PPy) and their nanocomposites (NCs) with metal oxide  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> (CP/MO) are synthesized by in situ chemical oxidation polymerization using various oxidants and dopants by keeping different molar percentage of MO with monomers. The prepared CPs and their CP/MO NCs PPy/ $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> are characterized by FTIR. Their morphology has studied by SEM and TEM techniques. Presence of identity bonds on the FTIR spectrograms ensures the formation of CPs and their NCs. SEM images show the presence of nearly spherical nanoparticles (NPs) on surface of CP and its composites. TEM images show the presence of NPs embed polymer net having thickness below 20 nm in PPy and, nanocluster/nanorods/nanosheets embed polymer chain of spherical NPs in composites, PPy/ $\alpha$ -Fe<sub>2</sub>O<sub>3</sub>. The room temperature ac conductivity ( $\sigma_{ac}$ ) and dielectric constant ( $\epsilon'$ ) against frequency in the range 1 Hz to 40 MHz has measured using computer control impedance analyzer. The increment in ac conductivity ( $\sigma_{ac}$ ) of CP and all its composites with rise in frequency assigned the quantum mechanical tunneling (QMT) in all materials under the present study and shows their polycrystalline disorder (amorphous and crystalline) structure. The IR bands, structure, morphology,  $\sigma_{ac}$  and  $\epsilon'$  shows dependence on type of oxidant, dopant and wt% of added MO. Oxidants and dopants show the remarkable and intense effect on the frequency response of ac conductivity and dielectric constant of the composites.

**Keywords:** Conducting polymer; polypyrrole; ferric oxide; hematite; nanocomposites; nanoparticles; nanocluster

## 7. Dr. U. B. Mahatme

Home / Books / Recent Trends in Chemical and Material Sciences Vol. 2 / Chapters



### Conducting Polymer/Metal Oxide Nanocomposite's Morphology Dependence on MO Additive Weight Percent

U. B. Mahatme ; S. D. Thakre

Recent Trends in Chemical and Material Sciences Vol. 2, 4 August 2021, Page 67-73

<https://doi.org/10.9734/bpi/rtcams/v2/1789C>

Published: 2021-08-04

View Article  Cite  Share 

#### Abstract

By employing sulfuric acid as a dopant and APS as an oxidant, polyaniline Emeraldine salt (ES) and its composites with metal oxides V<sub>2</sub>O<sub>5</sub>, ZnO, and MgO were produced using a chemical oxidation approach by combining various mass percents of metal oxides with monomer in a polymerization mixture. SEM analysis was used to examine the morphological nano form and nano size of these composites.

**Keywords:** Polyaniline; metal oxides; morphology; chemical oxidation; vanadium pentoxide; zinc oxide; magnesium oxide

## Basics of Nanoscience, Nanomaterials and Nanotechnology

HOME ABOUT BOOKS TESTIMONIALS EDITORS CHARGES SUBMISSION CONTACT

Home / Books / Basics of Nanoscience, Nanomaterials and Nanotechnology / Content



### Basics of Nanoscience, Nanomaterials and Nanotechnology

Upendra B. Mahatme

*Basics of Nanoscience, Nanomaterials and Nanotechnology*, 17 July 2021, Page 1-74

<https://doi.org/10.9734/bpi/mono/978-93-91473-03-7>

Published: 2021-07-17

View Article 


Cite 

Share 

#### Abstract

With introduction to the present era of Nanoscience, nanomaterials, and nanotechnology, the first chapter of this book starts with the meaning of nano, nanoscale, and nanometer. The abstract of literature includes sections and subsections presented here as a sequential manuscript. In brief, how the materials can differ in bulk material and nanomaterial depending on the size of particles as building blocks has been explained by taking some examples. Remarkable changes in physical and chemical properties of the same material in its bulk and nanoform depending on particle size of material has been illustrated. The difference between nanoscience and nanotechnology has also been given. The reduction in particle size (dimensions) let's classify the nanomaterials as 3D, 2d, 1D and 0D materials. By defining properly with figures, it has been tried to classify nanomaterials. In the section of morphology, readers will find the literature on what morphology is, how morphology helps to classify the synthesized nanomaterials, and the importance of morphology for researchers and scientists to find the proper application field for synthesized nanomaterial. Brief introduction to electron microscope SEM and TEM to examine the





Copyright © DnyanPath Publication, Amravati (INDIA)

No part of this publication may be reproduced or distributed in any form or by any means, electronic, mechanical, photocopy, recording, or otherwise or stored in a database or retrieval system without the prior written permission of publishers. This edition can be exported from India only by the Publishers.

A TEXT BOOK OF

**Chemistry**

**B.Sc. SEMESTER - IV**

Paper I - Inorganic Chemistry | Paper II - Physical Chemistry

Published by DnyanPath Publication, Amravati (INDIA)

The first edition published in 26<sup>th</sup> January 2022

ISBN : 978-93-91331-78-8

**DnyanPath**<sup>®</sup>  
Publication  
This text - Right now  
ISO 9001 : 2015



Reg. Office : FFS-A, Block C, First Floor, Venus Plaza, Shegaon Naka, V.M.V. Road, Amravati - 444 603 (Maharashtra)

Our Network : Maharashtra, Delhi, Gujrat, Chattisgarh, Telangana, Bihar.

Visit us : www.dnyanpath.org

Contact us : dnyanpathpub@gmail.com

Phone : 08600353712, 09503237806

Printed at - Shri Gurudeo Printers, Amravati.

Mahatma Fule Sankul, Shegaon Naka,

V.M.V. Road, Amravati - 444603 (Maharashtra)



Marketed by - Sachin Educational Traders  
10A, Shivrasik Nagar, Kathora Naka, Near Ring Road,  
Amravati - 444 604 | Phone - 09022571986  
Email - sachineducationaltraders@gmail.com

Price : ₹ 200/-

**Chemistry**

**B.Sc. SEMESTER - IV**

Paper I - Inorganic Chemistry

Paper II - Physical Chemistry

- AUTHORS -

**Dr. A. R. Yaul**

M.Sc., M.Phil., SET, Ph.D.  
Assistant Professor & Head  
Department of Chemistry  
N.K.S. Model College, Karanja (Gh.)  
Dist. Wardha

**Dr. A. M. Ghatole**

M.B.A., M.Sc., Ph.D.  
Assistant Professor  
Department of Chemistry  
J. M. Patel Arts, Commerce and  
Science College, Bhandara

**Dr. M. G. Azmire**

M.Sc., B.Ed., Ph.D.  
Assistant Professor  
Department of Chemistry  
Arts and science College, Pulgaon  
Dist. Wardha

**Dr. M. B. Thakre**

M.Sc., B.Ed., Ph.D.  
Assistant Professor  
Department of Chemistry  
D. R. B. Sindhu Mahavidyalaya  
Nagpur

**Dr. S. B. Narde (Dhopte)**

M.Sc., B.Ed., NET, Ph.D.  
Assistant Professor  
Department of Chemistry  
Dhote Bandhu Science College  
Gondia

**Dr. M. R. Raghuvanshi**

M.Sc., Ph.D.  
Assistant Professor  
Department of Chemistry  
Arvindbabu Deshmukh Mahavidyalaya  
Bharsingi (Narkhed), Dist. Nagpur

**Dr. P. B. Thakare**

M.Sc., NET, Ph.D.  
Assistant Professor  
Department of Chemistry  
Arts, Commerce and Science College  
Arvi, Dist. Wardha

**Dr. U. P. Meshram**

M.Sc., B.Ed., Ph.D.  
Assistant Professor  
Department of Chemistry  
N.K.S. Model College  
Karanja (Gh.) Dist. Wardha

- EDITORS -

**Dr. A. P. Ganorkar**

M.Sc., Ph.D.  
Head  
Department of Chemistry  
K. Z. S. Science College  
Kalmeshwar, Dist. Nagpur

**Mr. N. A. Barwat**


M.Sc., SET, NET  
Assistant Professor  
Department of Chemistry  
Bajaj College of Science  
Wardha

## COORDINATION COMPOUNDS

Coordination compounds are a special class of compounds in which the central metal atom is surrounded by ion or molecules with the help of coordinate bond. Thus compounds containing coordinate bonds are called as coordination compounds or complexes. These compounds are widely present in the minerals, plants and animals and play many important functions. Many biologically important compounds are coordination compounds, such as haemoglobin which is a coordination compound of iron, chlorophyll which is a coordination compound of magnesium, vitamin B<sub>12</sub> which is a coordination compound of cobalt, etc.

**Molecular or Addition Compounds:**

Acid combines with base undergoes neutralization reaction to form salt and solvents.



When solutions containing two or more salts in stoichiometric proportions are allowed to evaporate, crystals of new compounds are formed. These compounds are called as molecular or addition compounds.

Depending upon the behaviour of molecular compounds in aqueous solution they are classified into two types;

- 1) Double salt or lattice compounds
- 2) Coordination or complex compounds

**1) Double Salts or Lattice Compounds:**

Those molecular compounds which exist only in crystalline state, but break down into their individual ions when dissolved in water (other solvent) are called as double salts or lattice compounds.

Some well known double salts are

Mohr's salt -  $\text{FeSO}_4 \cdot (\text{NH}_4)_2\text{SO}_4 \cdot 6\text{H}_2\text{O}$

Potash alum -  $\text{K}_2\text{SO}_4 \cdot \text{Al}_2(\text{SO}_4)_3 \cdot 24\text{H}_2\text{O}$

Carnallite -  $\text{KCl} \cdot \text{MgCl}_2 \cdot 6\text{H}_2\text{O}$

Let us consider Mohr's salt. It is ferrous ammonium sulphate and is prepared by evaporating water from a solution containing ferrous sulphate and ammonium sulphate in equimolar proportion. Mohr's salt has different crystal structure than either ferrous sulphate or ammonium sulphate. This shows that it is different than these two in solid state. But when dissolved in water, it gives the ions in the same way as the individual constituents would have done. This is illustrated below.

Ionization of the two constituents [ $\text{FeSO}_4$  and  $(\text{NH}_4)_2\text{SO}_4$ ] forming Mohr's salt is

